anti-human CD4 APC-conjugated

The antibody EDU-2 recognizes CD4 antigen, a 55 kDa transmembrane glycoprotein expressed on a subset of T lymphocytes ("helper" T-cells) and also on monocytes, tissue macrophages and granulocytes.

CD4 is a single chain transmembrane glycoprotein and belongs to immunoglobulin supergene family. In extracellular region there are 4 immunoglobulin-like domains (1 Ig-Like V-type and 3 Ig-like C2-Type). Transmembrane region forms 25aa, cytoplasmic tail consists of 38 aa. Domains 1, 2 and 4 are stabilized by disulfide bonds. The intracellular domain of CD4 is associated with p56Lck, a Src-like protein tyrosine kinase. It was described, that CD4 segregates into specific detergent-resistant T-cell membrane microdomains. CD4 is a co-receptor involved in immune response (co-receptor activity in binding to MHC class II molecules) and HIV infection (human immunodeficiency virus; Cd4 is primary receptor for HIV-1 surface glycoprotein gp120). CD4 regulates T-cell activation, T/B-cell adhesion, T-cell diferentiation, T-cell selection and signal transduction. Defects in antigen presentation (MHC classII) cause dysfunction of CD4+ T-cells and their almost complete absence in patients blood, tissue and organs (SCID immunodefiency).

Clone: EDU-2

Isotype: Mouse IgG2a

Physical state: Liquid for direct use

Form: purified antibody conjugated with cross-linked Allophycocyanin (APC)

Buffer: PBS containing 1% BSA and 0.1% sodium azide (pH 7.4)

Storage: Store at 4 °C. Do not freeze. Avoid prolonged exposure to light.

Application: Flow Cytometry

Reference: Millan J, Cerny J, Horejsi V, Alonso MA.: CD4 segregates into specific detergent-resistant

membrane microdomains. Tissue Antigens. 1999 Jan; 53(1):33-40 and others

Quantity: 1.0 ml

Order N°: H12390A

Warning: Sodium azide is harmful if swallowed (R22). Keep out of reach of children (S2). Keep away from food, drink and animal feeding stuff (S13). Wear suitable protective clothing (S36). If swallowed, seek medical advice immediately and show this container or label (S46). Contact with acids liberates very toxic gas (R32)

This material is offered for <u>research only</u>. Not for use in human. For in vitro use only. EuroBioSciences will not be held responsible for patent infringement or other violations that may occur with the use of our products.

Phone: +49 (0) 4491-9387804, Fax: +49 (0) 4491-9387805

E-Mail: info@eurobiosciences.com