

anti-human CD48 FITC-conjugated

The antibody MEM-102 reacts with CD48 antigen (Blast-1), a 40-47 kDa GPI-anchored membrane protein (immunoglobulin supergene family) widely expressed on hematopoietic cells; it is negative on granulocytes, platelets and erythrocytes.

CD48 (Blast-1) belongs to the CD2 subset of the Ig superfamily, which includes CD2, CD2F-10, CD58, CD84, CD150, CD229, CD244 and others. These molecules bind to the same or another members of their family, thus mediate homotypic or heterotypic adhesion. CD48 is a GPI-anchored protein broadly expressed on hematopoietic cells and serves as a high affinity ligand for 2B4 and low affinity ligand for CD2. 2B4-CD48 interaction among NK cells and NK-T cells regulates cell proliferation. Signaling through CD48 results in eosinophil activation and CD48 expression is increased in several infectious diseases.

Clone: MEM-102

Isotype: Mouse IgG1

Physical state: Liquid for direct use

Form: purified antibody conjugated with Fluorescein isothiocyanate (FITC)

Buffer: PBS containing 1% BSA and 0.1% sodium azide (pH 7.4)

Storage: Store at 4 °C. Do not freeze. Avoid prolonged exposure to light.

Application: Flow Cytometry

Reference: Leucocyte Typing V. Schlossman S. et al. (Eds.), Oxford University Press (1995)

Quantity: 1.0 ml

Order N°: H12187F

Warning: Sodium azide is harmful if swallowed (R22). Keep out of reach of children (S2). Keep away from food, drink and animal feeding stuff (S13). Wear suitable protective clothing (S36). If swallowed, seek medical advice immediately and show this container or label (S46). Contact with acids liberates very toxic gas (R32).

This material is offered for **research only**. Not for use in human. For in vitro use only. EuroBioSciences will not be held responsible for patent infringement or other violations that may occur with the use of our products.